EAST Search History

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	12	[("20010047390") or ("20020174280") or ("20020152422") or ("20020078258") or ("20020078132") or ("20020069157") or ("20020069356") or ("6,623,103") or ("2002006866") or ("20030009511") or ("20020059316") or ("20020059316") or	US-PCPUB; USPAT	OR	OFF	2008/03/13 10:41
L2	164	enhancing and persistance	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 10:41
L3	5275	(709/206).COLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/13 10:41
L4	812	MQSeries	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 10:41
L5	30	L3 and L4	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 10:41
L6	0	L2 and L3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 10:41
L7	0	L2 and L4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 10:41

L8	2	("20030191978"). PN .	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/13 10:41
L9	2	("5452430").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/13
L10	5275	(709/206).COLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/13
L11	505	L10 and persistent	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13
L12	12	(("20010047390") or ("20020174280") or ("20020154242") or ("20020152422") or ("20020078132") or ("20020069157") or ("20020069157") or ("6.523,103") or ("20020068366") or ("20030046566") or ("20030009511") or ("20020058316") or ("20020058316") or	US-PCPUB; USPAT	OR	OFF	2008/03/13 10:41
L13	503	L10 and persistent not L12	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 10:41
L14	2888	message and oriented and middleware	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 10:41
L15	957	L14 and persistent	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 10:41

L16	532	L15 and queue	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 10:41
L17	476	message same oriented same middleware	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/13
L18	2888	message and oriented and middleware	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 10:41
L19	957	L18 and persistent	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13
L20	532	L19 and queue	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13
L21	133	L20 and crash	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13
L22	5275	(709/206).COLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/13 10:41
L23	12	(("20010047390") or ("20020174260") or ("20020152422") or ("20020078258") or ("20020078132") or ("20020069157") or ("20020069356") or ("6,633,103") or ("20030046586") or ("2003000451") or ("2003004556") re ("2003004555").FNI.	US-PCPUB; USPAT	OR	OFF	2008/03/13 10:41

L24	503	L22 and persistent not L23	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 10:41
L25	126	L21 not L24	US-PGPUB; USPAT; USOCR; IPPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 10:41
L26	125	L25 not "object\$oriented"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 10:41
L27	125	L26 not "service\$oriented"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 10:41
L28	125	L27 not "service_oriented"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 10:41
L29	2888	message and oriented and middleware	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 10:41
L30	957	L29 and persistent	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 10:41
L31	532	L30 and queue	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 10:41
L32	133	L31 and crash	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 10:41

L33	5275	(709/206).COLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/13 10:41
L34	12	(("20010047390") or ("20020174260") or ("20020174260") or ("20020152422") or ("20020078132") or ("20020068157") or ("6,623,103") or ("6,623,103") or ("2002006856") or ("2003004656") or ("2003004856"), FN.	US-PCPUB; USPAT	OR	OFF	2008/03/13 10:41
L35	503	L33 and persistent not L34	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 10:41
L36	126	L32 not L35	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 10:41
L37	125	L36 not "object\$oriented"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 10:41
L38	125	L37 not "service\$oriented"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 10:41
L39	125	L38 not "service_oriented"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 10:41
L40	125	L39 not "object_oriented"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 10:41

L41	2888	message and oriented and middleware	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 10:41
L42	5275	(709/206).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/13 10:41
L43	0	L42 and "set of messages" or "block of messages"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/13 10:41
L44	2284681	L42 and (set of messages) or (block of messages)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/13 10:41
L45	62098	"709".clas.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/13 10:41
L46	0	"709".clas. and "set of messages" or "block of messages"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/13 10:41
L47	0	"709".clas. and "set of messages"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/13 10:41
L48	7167	L45 and block with message	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/13 10:41
L49	2994	L45 and block near2 message	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/13 10:41
L50	459	L45 and block adj1 message	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/13 10:41
L51	1647	L45 and set adj1 message	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/13 10:41
L52	62098	"709".clas.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/13 10:41
L53	4	L52 and (set adj1 message) with browsing	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/13 10:41
L54	0	L52 and ("one or more" adj1 message) with browsing	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/13 10:41
L55	0	L52 and "one or more" adj1 message	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/13 10:41

L56	69	L52 and (one with more) adj1 message	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/13 10:41
L57	10	L56 and browsing	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/13 10:41
L58	14	L56 and scan	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/13 10:41
L59	12	(("20010047390") or ("20020174260") or ("20020152422") or ("20020078258") or ("20020078132") or ("20020069157") or ("20020069157") or ("20020069157") or ("2002006915") or ("20030009511") or ("2003000951") or ("20020059316") or	US-PCPUB; USPAT	OR	OFF	2008/03/13 10:41
L60	164	enhancing and persistance	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 10:41
L61	5275	(709/206).COLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/13 10:41
L62	812	MCSeries	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13
L63	0	L60 and L61	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13
L64	0	L60 and L62	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	ON	2008/03/13

L65	30	L61 and L62	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 10:41
L66	2	("20030191978").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/13 10:41
L67	2	("5452430").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/13 10:41
L68	5275	(709/206).COLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/13 10:41
L69	505	L68 and persistent	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 10:41
L70	12	(("20010047390") or ("20020174260") or ("20020152422") or ("20020078258") or ("20020078132") or ("20020069157") or ("20020062356") or ("6,523,103") or ("20030046586") or ("2003009511") or ("2003009511") or ("2002004835"),FN.	US-PCPUB; USPAT	OR	OFF	2008/03/13 10:41
L71	503	L68 and persistent not L70	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 10:41
L72	2888	message and oriented and middleware	US-PGPUB; USPAT; USOCR; IPPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 10:41

L73	957	L72 and persistent	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13
L74	532	L73 and queue	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 10:41
L75	476	message same oriented same middleware	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/13 10:41
L76	2888	message and oriented and middleware	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 10:41
L77	957	L76 and persistent	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 10:41
L78	532	L77 and queue	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 10:41
L79	133	L78 and crash	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13
L80	5275	(709/206).CCLS.	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/13 10:41

L81	12	(("20010047390") or ("20020174260") or ("20020154242") or ("20020078132") or ("20020078132") or ("20020069157") or ("20020069157") or ("6,623,103") or ("20020069356") or ("20030009511") or ("20020059316") or ("20020059316") or	US-PCPUB; USPAT	OR	OFF	2008/03/13 10:41
L82	503	L80 and persistent not L81	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 10:41
L83	126	L79 not L82	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 10:41
L84	125	L83 not "object\$oriented"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 10:41
L85	125	L84 not "service\$oriented"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 10:41
L86	125	L85 not "service_oriented"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 10:41
L87	2888	message and oriented and middleware	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 10:41
L88	957	L87 and persistent	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13

L89	532	L88 and queue	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13
L90	133	L89 and crash	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13
L91	12	(("20010047390") or ("20020174260") or ("20020152422") or ("20020078258") or ("20020078132") or ("20020069157") or ("20020069157") or ("20020069158686") or ("20030009511") or ("20030009511") or ("20020059316") or	US-PGPUB; USPAT	OR	OFF	2008/03/13 10:41
L92	5275	(709/206).COLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/13 10:41
L93	503	L92 and persistent not L91	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 10:41
L94	126	L90 not L93	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 10:41
L95	125	L94 not "object\$oriented"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 10:41
L96	125	L95 not "service\$oriented"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 10:41

L97	125	L96 not "service_oriented"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 10:41
L98	125	L97 not "object_oriented"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13
L99	2888	message and oriented and middleware	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13
L100	62098	"709".clas.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/13 10:41
L101	2994	L100 and block near2 message	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/13 10:41
L102	7167	L100 and block with message	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/13 10:41
L103	0	"709".clas. and "set of messages"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/13 10:41
L104	0	"709".clas. and "set of messages" or "block of messages"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/13 10:41
L105	5275	(709/206).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/13
L106	2284681	L105 and (set of messages) or (block of messages)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/13 10:41
L107	0	L105 and "set of messages" or "block of messages"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/13 10:41
L108	459	L100 and block adj1 message	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/13 10:41
L109	1647	L100 and set adj1 message	US-PGPUB; USPAT; IBM TDB	OR	ON	2008/03/13 10:41

L110	62098	"709".clas.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/13 10:41
L111	0	L110 and ("one or more" adj1 message) with browsing	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/13 10:41
L112	0	L110 and "one or more" adj1 message	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/13 10:41
L113	4	L110 and (set adj1 message) with browsing	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/13 10:41
L114	69	L110 and (one with more) adj1 message	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/13 10:41
L115	14	L114 and scan	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/13 10:41
L116	10	L114 and browsing	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/13 10:41
L117	4348	queue with (eras\$3 remov \$3 delet\$3 mov\$3) near3 (data message\$1 info information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/13 11:27
L118	19263	queue with (copy\$3 add\$3 writ\$3 stor\$3) near3 (data message\$1 info information)	US-PGPUB; USPAT; EPO; JPO; DERWBNT; IBM_TDB	OR	OFF	2008/03/13 11:28
L119	2844	L117 and L118	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 11:30
L120	0	L119 and presist\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 11:31
L121	470	L119 and persist\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 11:31

L122	298	L121 and (@pd< "20030911" @ad< "20030911")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 11:33
L123	24	L122 and 709/201,206,207. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13
S1	12	(("20010047390") or ("20020174260") or ("20020152422") or ("20020078258") or ("20020078132") or ("20020069157") or ("20020069157") or ("200200691586") or ("20030046586") or ("20030009511") or ("20020058316") or ("20020058316") or	US-POPUB; USPAT	OR	OFF	2006/12/28 08:42
S2	150	enhancing and persistance	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/27 14:37
S3	4122	(709/206). COLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/23 16:12
S4	702	MQSeries	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/20 16:12
S5	26	S3 and S4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/26 14:28
S6	0	S2 and S3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/20 17:01

S7	0	S2 and S4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/20 17:01
S8	2	("20030191978").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/27 09:08
S9	2	("5452430").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/27 09:09
S10	4131	(709/206). COLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/27 09:46
S11	364	S10 and persistent	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/27 10:35
S12	12	(("20010047390") or ("20020174260") or ("20020152422") or ("20020078258") or ("20020078132") or ("20020069157") or ("20020062356") or ("6,523,103") or ("20030046586") or ("20030009511") or ("20030009511") or ("20020004835"),FN.	US-POPUB; USPAT	OR	OFF	2006/12/27 14:51
S13	362	S10 and persistent not S12	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/27 13:37
S14	2098	message and oriented and middleware	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/27 13:39

S15	765	S14 and persistent	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/27 13:39
S16	450	S15 and queue	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/28 08:22
S17	374	message same oriented same middleware	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/12/28 08:21
S18	2109	message and oriented and middleware	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/28 08:22
S19	766	S18 and persistent	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/28 08:22
S20	451	S19 and queue	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/28 08:22
S21	113	S20 and crash	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/28 10:13
S22	4137	(709/206). CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/23 16:15

S23	12	(("20010047390") or ("20020174260") or ("20020174260") or ("20020152422") or ("20020078132") or ("20020069157") or ("20020062356") or ("6,523,103") or ("20030046586") or ("2003000451") or ("20030009511") or ("2002006235")).FN.	US-PCPUB; USPAT	OR	OFF	2006/12/28 10:15
S24	363	S22 and persistent not S23	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/28 10:15
S25	108	S21 not S24	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/28 13:25
S26	107	S25 not "object\$oriented"	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/28 13:26
S27	107	S26 not "service\$oriented"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/28 13:31
S28	107	S27 not "service_oriented"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/28 13:32
S29	2150	message and oriented and middleware	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 14:04
S30	775	S29 and persistent	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 14:04

S31	456	S30 and queue	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 14:04
S32	116	S31 and crash	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 14:04
S3 3	4206	(709/206).COLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/23 14:04
S34	12	(("20010047390") or ("20020174260") or ("20020152422") or ("2002078132") or ("20020078132") or ("20020069157") or ("20020062356") or ("6,523,103") or ("20030046586") or ("20030009511") or ("20030009511") or ("20020059316") or	US-PCPUB; USPAT	OR	OFF	2007/01/23 14:04
S35	372	S33 and persistent not S34	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23
S36	111	S32 not S35	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 14:04
S37	110	S36 not "object\$oriented"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 14:04
S38	110	S37 not "service\$oriented"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 14:04

S39	110	S38 not "service_oriented"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 14:04
S40	110	S39 not "object_oriented"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 14:04
S41	2150	message and oriented and middleware	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 15:01
S42	4206	(709/206) COLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/23 16:13
S43	0	S42 and "set of messages" or "block of messages"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/01/23 16:13
S44	2018265	S42 and (set of messages) or (block of messages)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/01/23 16:13
S47	51146	"709".clas.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/01/23 16:20
S48	0	"709".clas. and "set of messages" or "block of messages"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/01/23 16:21
S49	0	"709".clas. and "set of messages"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/01/23 16:21
S50	5885	S47 and block with message	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/01/23 16:23
S51	2469	S47 and block near2 message	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/01/23 16:28
S52	362	S47 and block adj1 message	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/01/23 16:39
S53	1371	S47 and set adj1 message	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/01/24 08:41

S54	51146	"709".clas.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/01/24 08:41
S55	4	S54 and (set adj1 message) with browsing	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/01/24 08:43
S56	0	S54 and ("one or more" adj1 message) with browsing	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/01/24 08:44
S57	0	S54 and "one or more" adj1 message	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/01/24 08:46
S58	53	S54 and (one with more) adj1 message	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/01/24 08:53
S59	9	S58 and browsing	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/01/24 09:02
S60	11	S58 and scan	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/01/24 09:02
S61	12	(("20010047380") or ("20020174280") or ("20020152422") or ("20020078258") or ("20020078132") or ("20020068157") or ("20020068158") or ("6,623,103") or ("20020068568") or ("20030008511") or ("20020059316") or ("20020059316") or	US-POPUB; USPAT	OR	OFF	2007/08/28 18:13
S62	157	enhancing and persistance	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 18:13
S63	4775	(709/206). CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/28 18:13
S64	758	MQSeries	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	ON	2007/08/28 18:13

S65	0	S62 and S63	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28
S66	0	S62 and S64	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 18:13
S67	28	S63 and S64	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 18:13
S68	2	("20030191978").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; [IBM_TDB	OR	OFF	2007/08/28 18:13
S69	2	("5452430").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/28 18:13
S70	4775	(709/206). CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/28 18:13
S71	454	S70 and persistent	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 18:13
S72	12	(("20010047390") or ("20020174260") or ("20020152422") or ("20020078258") or ("20020078132") or ("20020069157") or ("20020069356") or ("20030046586") or ("2003004511") or ("2003009511") or ("20030045351) FN	US-PGPUB; USPAT	OR	OFF	2007/08/28 18:13

S73	452	S70 and persistent not S72	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 18:13
S74	2553	message and oriented and middleware	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 18:13
S75	882	S74 and persistent	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 18:13
S76	508	S75 and queue	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 18:13
S77	438	message same oriented same middleware	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/08/28 18:13
S78	2553	message and oriented and middleware	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 18:13
S79	882	S78 and persistent	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 18:13
S80	508	S79 and queue	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 18:13
S81	128	S80 and crash	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 18:13

S82	4775	(709/206). COLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/28 18:13
S83	12	(("20010047390") or ("20020174260") or ("20020152422") or ("20020078258") or ("200200678132") or ("20020068157") or ("20020068356") or ("6,523,103") or ("2002006836") or ("20030009511") or ("20030009511") or ("20020058316") or	US-PGPUB; USPAT	OR	OFF	2007/08/28 18:13
S84	452	S82 and persistent not S83	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 18:13
S85	122	S81 not S84	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 18:13
S86	121	S85 not "object\$oriented"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 18:13
S87	121	S86 not "service\$oriented"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 18:13
S88	121	S87 not "service_oriented"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 18:13
S89	2553	message and oriented and middleware	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 18:13

S90	882	S89 and persistent	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 18:13
S91	508	S90 and queue	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 18:13
S92	128	S91 and crash	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 18:13
S93	12	(("20010047390") or ("20020174260") or ("20020174260") or ("20020152422") or ("20020078132") or ("2002006135") or ("2002006135") or ("6,623,103") or ("2002006815") or ("20030046586") or ("20030009511") or ("20020058316") or ("20020058316") or	US-PCPUB; USPAT	OR	OFF	2007/08/28 18:13
S94	4775	(709/206) .CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/28 18:13
S95	452	S94 and persistent not S93	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 18:13
S96	122	S92 not S95	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 18:13
S97	121	S96 not "object\$oriented"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 18:13

S98	121	S97 not "service\$oriented"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 18:13
S99	121	\$98 not "service_oriented"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 18:13
S100	121	S99 not "object_oriented"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 18:13
S101	2553	message and oriented and middleware	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 18:13
S102	56972	"709".clas.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/28 18:13
S103	2769	S102 and block near2 message	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/28 18:13
S104	6616	S102 and block with message	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/28 18:13
S105	0	"709".clas. and "set of messages"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/28 18:13
S106	0	"709".clas. and "set of messages" or "block of messages"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/28 18:13
S107	4775	(709/206).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/28 18:13
S108	2158044	S107 and (set of messages) or (block of messages)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/28 18:13
S109	0	S107 and "set of messages" or "block of messages"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/28 18:13
S110	415	S102 and block adj1 message	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/28 18:13

S111	1540	S102 and set adj1 message	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/28 18:13
S112	56972	"709".clas.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/28 18:13
S113	0	S112 and ("one or more" adj1 message) with browsing	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/28 18:13
S114	0	S112 and "one or more" adj1 message	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/28 18:13
S115	4	S112 and (set adj1 message) with browsing	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/28 18:13
S116	64	S112 and (one with more) adj1 message	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/28 18:13
S117	13	S116 and scan	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/28 18:13
S118	10	S116 and browsing	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/28 18:13

3/13/2008 2:06:30 PM C:\ Documents and Settings\ smirzadegan\ My Documents\ EAST\ Workspaces\ First one.wsp